

PHYSICAL DATA

FEATURES

- Material: Aluminum
- Magnetic installation of luminaries
- 24V allows for longer installation runs and affords more fittings per run. Recessed slimline profile lends itself toward dynamic architectural interest
- PWM Dimmable with EUChip driver

MOUNTING

Recessed Track

APPLICATION AREAS

Indoor, Commercial, Residential, Hospitality, Retail, Museums, Galleries, Cultural Centers

OPTIONS & ACCESSORIES

- The LUNA S ON Surface Magnetic Track System available
- The LUNA M Magnetic Track system available

TECHNICAL DATA

POWER SUPPLY FEED

	LF004568	LF004569	LF004570	LF004571	LF004572
OPERATING VOLTAGE	24V	24V	24V	24V	24V
MODEL	S L14-0.5M	S L14-1M	S L14-1.5M	S L14-2M	S L14-2.5M
DIMENSIONS	500 x 67.4 x 41.9mm	1000 x 67.4 x 41.9mm	1500 x 67.4 x 41.9mm	2000 x 67.4 x 41.9mm	2500 x 67.4 x 41.9mm
CUT OUT SIZE	500 x 35mm	1000 x 35mm	1500 x 35mm	2000 x 35mm	2500 x 35mm

INTERMEDIATE TRACK

	LF004574	LF004575	LF004576	LF004577	LF004578
OPERATING VOLTAGE	24V	24V	24V	24V	24V
MODEL	S L14 C-0.5M	S L14 C-1M	S L14 C-1.5M	S L14 C-2M	S L14 C-2.5M
DIMENSIONS	500 x 67.4 x 41.9mm	1000 x 67.4 x 41.9mm	1500 x 67.4 x 41.9mm	2000 x 67.4 x 41.9mm	2500 x 67.4 x 41.9mm
CUT OUT SIZE	500 x 35mm	1000 x 35mm	1500 x 35mm	2000 x 35mm	2500 x 35mm





LUNA S CORNER L1
LF004579

MODEL	S L14-L1
OPERATING VOLTAGE	24V
COLOURS	BLACK
WARRANTY	3 YRS
DIMENSIONS	149 x 149 x 67.4mm






LUNA S CORNER L2
LF004580


MODEL	S L14-L2
OPERATING VOLTAGE	24V
COLOURS	BLACK
WARRANTY	3 YRS
DIMENSIONS	149 x 149 x 67.4mm



LUNA S CORNER L3
LF004581

MODEL	S L14-L3
OPERATING VOLTAGE	24V
COLOURS	BLACK
WARRANTY	3 YRS
DIMENSIONS	174.5x174.5x41.9mm





**LUNA S CONNECTOR
LF001377**

MODEL	S DC-24/48-I
OPERATING VOLTAGE	24V / 48V
COLOURS	BLACK
WARRANTY	3 YRS
DIMENSIONS	100 x 27 x 11.3mm

**LUNA S/M PIN
LF001680**

MODEL	S/M PIN
OPERATING VOLTAGE	24V
COLOURS	CREAM
WARRANTY	3 YRS
DIMENSIONS	26 x 7.5 x 2.8mm

